BID PRICES

Contract A

ITEM 1: ASPHALTIC PAVEMENT

VILLAGE ROADS

1.	. The installation of one and three-fourth-inch (1.75") thick asphaltic surface course pavement over the existing road widths, as per Wisconsin Standard Specifications for Highway and Structure Construction:		
	Waterside Rd, Approximate	ely six hundred twenty (620) ton of A	sphalt MT-4 S, (12.5 MM) 58-28
	PRICE PER TON	Total	
2.	the existing road widths, a Construction:		
	` , ' '	Total	
ITEM 2: ASPHALT	TIC PAVEMENT WEDGING	-	
		VILLAGE ROADS	
 Hot mix wedging laid by paver as directed by the Village DPW Crew Waterside Rd, Approximately six hundred twenty (620) ton of Aspha 			,
	PRICE PER TON	Total	
2.	2. Hot mix wedging laid by paver as directed by the Village DPW crew Lead. (1") Valleywood Ct, Gamekeeper Ct, Meadowside Ct and Foxfire Ct, Approximately four hundred fifte (415) ton of Asphalt MT-4 S, (12.5 MM) 58-28		
	PRICE PER TON	Total	

Village Roads

ITEM 3: ASPHALTIC PAVEMENT

	1.	 The installation of One and three-fourth-inch (1.75") thick asphaltic surface course pavement over the existing road surface, as per Wisconsin Standard Specifications for Highway and Structure Construction: Abitz Rd, Approximately five hundred eighty (580) ton of Asphalt MT-4 S, (12.5 MM) 58-28 			
		PRICE PER TONTotal			
ITEM 4: ASP	HAL	TIC PAVEMENT WEDGING LAID BY PAVER			
		VILLAGE ROADS			
	3.	Hot mix wedging laid by paver as directed by the Village DPW Crew Lead. (1.75") Abitz Rd, Approximately five hundred eighty (580) ton of Asphalt MT-4 S, (12.5 MM) 58-28			
		PRICE PER TON Total			
	ll ov	veways paved will be milled with a butt-joint erlaid and wedge coat areas shall have a TAC oil applied at appropriate WisDOT cation rates			
Contract B					
Hot Po		applied in place on various Village Roads not to exceed Twenty thousand dollars (\$20,000.00):			
	PF	RICE PER POUNDTotal			

Contract C

ITEM 1: ASPHALTIC SEAL COATING WITH BLACK BOILER SLAG As marked by Village Lead Person (Granite Stone Alternate may be substituted)

 Griffith Road (as marked) Waterstone Cir. Brightwater Blvd Ringtail Rd Brightwater Blvd Turn Lane Brightwater Blvd Cross Over Ravinia Park Blvd Ravinia Sub. (East Side) 	PRICE PER Rd PRICE PER Rd	
Grand Total Seal Coating		
Contract D ITEM 1:		

1. Spot repair. Remove and Haul away Existing Asphalt or Mill entire area. Fine Grade Existing Base course materials. Install Two and one quarter inch (2.25") thick Binder Course. Install One and three fourths (1.75") asphaltic surface course pavement, Asphalt Type MT, 12.5mm 58-28, as marked by DPW Crew Lead, as per Wisconsin Standard Specifications for Highway and Structure Construction:

Spot Repair Dous	man Road, i	12′ X 500′
Lump Sum	Total	